


M-SERIES®

M-Standard w/Staggered Lamps
10 Day Expedited Service
PDF includes Run Configurator



Light. Ideas. Systems.

M-Standard

Expedited Service for Staggered-Lamp Linear Fluorescent M-Series fixtures

Use the interactive links on the next two pages to access M-Standard specifications.

Table of Contents

Extrusions	2	MS_Intro.pdf
M-Standard Summary	3	
Shieldings/Connector Plus	4	
Staggered Lamping Info	5	
Individuals and Continuous Runs	6	
Individuals Dimensions	7	
Continuous Run Section Dimensions	8 - 9	
Continuous Runs Chart	10 - 11	
Run Configurator	12 - 15	

**M60
RECESSED**

MSM6R1S Flanged Extrusion/Flanged End Caps	16	MSM6R1S_SS.pdf
MSM60S_SF2 Spackle Flange	17	MSM60S_SF2_SS.pdf

**M100
RECESSED**

MSM1R1S Flanged Extrusion/Flanged End Caps	18	MSM1R1S_SS.pdf
MSM10S_SF2 Spackle Flange	19	MSM10S_SF2_SS.pdf

**M100
SUPER RECESSED**

MSM1B1S Flanged Extrusion/Flanged End Caps	20	MSM1B1S_SS.pdf
MSM1B0S_SF2 Spackle Flange	21	MSM1B0S_SF2_SS.pdf

**M60 / M100
SURFACE MOUNT**















MSM60S Surface Mount	22	MSM60S_F_SS.pdf
MSM10S Surface Mount	23	MSM10S_F_SS.pdf

Wiring	24	MS_W-PHM.pdf
Photometry	25	

M-Standard

M-Series® Expedited Service

Use the interactive links to access M-Standard specifications.

1T5 /1T5HO STAGGERED GEAR TRAYS	SERIES	MOUNTING
M60 RECESSED CONTINUOUS FLANGE	MSM6R1S 2-3/8" width 3-9/16" height	 Suspension Clips p. 16  1" Studs p. 16  Rotating Crossbars p. 16
M60 RECESSED MULTI-MOUNT	MSM60S 2-3/8" width 3-9/16" height	 Spackle Flange p. 17
M100 RECESSED CONTINUOUS FLANGE	MSM1R1S 4" width 4" height	 Suspension Clips p. 18  1" Studs p. 18  Rotating Crossbars p. 18
M100 RECESSED MULTI-MOUNT	MSM10S 4" width 4" height	 Spackle Flange p. 19
M100 SUPER RECESSED CONTINUOUS FLANGE	MSM1B1S 4" width 6" height	 Suspension Clips p. 20  1" Studs p. 20  Rotating Crossbars p. 20
M100 SUPER RECESSED MULTI-MOUNT	MSM1B0S 4" width 6" height	 Spackle Flange p. 21
M60 SURFACE MOUNT	MSM60S 2-3/8" width 3-9/16" height	 Surface p. 22
M100 SURFACE MOUNT	MSM10S 4" width 4" height	 Surface Mount p. 23

Recessed

Surface
Mount