

Lincoln Park  
Miami Beach, Florida



---

project	Lincoln Park
client	Lincoln Park
architect	West 8 Urban Design & Landscape Architecture, Rosenberg Gardner Design
landscape architect	Rosenberg Gardner Design
electrical planning	Costal Systems International
photographer	James Brigagliano

---

Modifications are possible due to the constant development and improvement of LED technology.

© Selux Corporation, Subject to technical modification 6.2017

Selux Corporation, 5 Lumen Lane, P.O. Box 1060, Highland, NY 12528

## Lincoln Park Miami Beach, Florida

The recently expanded 2.5 acre Lincoln Park in Miami surrounds the New World Symphony building. It is also the location for the Miami Beach Soundscape, which is used for a wide variety of different events, either under the shade of the trees or beneath the clear night sky. The wall of the symphony building provides an ideal screen for video projections while Pergola arches, whose shape inspire the cumulus clouds that frequently occur in Miami, line the perimeter of the park.

The hand-crafted aluminum structures support the splendid blossom of the Bougainvillea vines and also provide much-needed shade. Several IDA Approved "Dark Sky Friendly" Selux Olivio luminaires have been installed here, their compact dimensions providing an elegant lighting solution for full-cutoff lighting overlooking the entire park.

## Lincoln Park Miami Beach, Florida



Modific  
© Selux  
Selux C

LED technology.

Modifications are possible due to the constant development and improvement of LED technology.

© Selux Corporation, Subject to technical modification 6.2017

Selux Corporation, 5 Lumen Lane, P.O. Box 1060, Highland, NY 12528

## Lincoln Park Miami Beach, Florida

Olivio - Spot and flood light both  
versatile and elegant in design



Olivio is an impressive, highly efficient lighting concept for urban living environments. The versatility of this product family enables individual design solutions to create functional and atmospheric lighting. Three luminaire sizes (Grande, Medio, and Piccolo) are combined with the extremely flexible Universal Mount design. Olivio is available as a Bollard, or Universal, Candelabra, Sistema, and Sistema 2 mountings - ensuring versatility with a cohesive look. Olivio is also available as a Solar solution, further expanding its usage to remote locations.

## Olivio Bollard



Construction	Die cast, low-copper aluminum construction with stainless steel fasteners · Completely sealed optical chamber
Optic	Precision formed anodized reflectors
Light Source	LED in 3000K or 4000K · 80CRI minimum
Luminous flux	LED 7W - 46W · 608lm - 3,681lm
Light Distribution	Asymmetric
Dimensions	3' (Piccolo) or 4' (Medio)
Finish	Tiger Drylac certified polyester powder coat finish for superior wear resistance
Options	0-10V dimming · 20kA Surge Suppression
Certificates	NRTL Wet Location · 5 Year LED Warranty · RoHS Compliant · Union Made - IBEW Local 363 · ASTM and PCI for finish · IP67
[en:]	Interior - Exterior
[en:]	M36 - M60 LED Shapes Acoustic

## Olivio Universal



Construction	Die cast, low copper aluminum construction with stainless steel fasteners · Heat sink design ensures long life even in elevated ambient temperatures · Completely sealed optical chamber
Optic	Precision-formed anodized reflectors
Light Source	LED in 3000K or 4000K · 80CRI minimum · RGBW (Grande only)
Luminous flux	LED 7W - 58W · 672lm - 4,951lm
Light Distribution	Spot · Medium · Wide · Asymmetric · Spread Lens
Mounting	Universal Mount · Single Pole Top
Dimensions	Pole height 12' through 25'
Finish	Tiger Drylac certified polyester powder coat finish for superior wear resistance
Options	IDA-approved with fixed arm · Spread Lens · 0-10V dimming · Hi-Low switching · 20kA Surge Suppression · Micro Honeycomb Louver · Color Filters
Certificates	NRTL Wet Location · 5 Year LED Warranty · RoHS Compliant · Union Made - IBEW Local 363 · ASTM and PCI for finish · Dark Sky · IP67
[en:]	Exterior
[en:]	Olivio

## Olivio Sistema

## Olivio Sistema 2



Construction	Die cast low-copper aluminum · Stainless steel fasteners
Optic	Precision formed anodized reflectors · Completely sealed optical chamber
Light Source	LED in 3000K or 4000K · 80CRI minimum · RGBW (Grande only)
Luminous flux	Up to 4,951lm
Light Distribution	Spot · Medium · Wide · Asymmetric · Spread Lens
Mounting	Cast aluminum mounting arms for flexible pole mounting · Tilt/swivel range is 0° through 175° · 360° rotation
Dimensions	Piccolo · Medio · Grande
Finish	Tiger Drylac certified polyester powder coat finish
Options	IDA-approved with fixed arm · Colored or Spread lenses · Ring or honeycomb louver · Up to 4 luminaire per pole configurations · Single and double wall mount configurations · 0-10V Dimming
Certificates	NRTL Wet Location · 5 Year LED Warranty · ARRA Compliant · RoHS Compliant · Union Made - IBEW Local 363 · ASTM and PCI for finish · IP67 · Dark Sky
[en:]	Exterior
[en:]	Olivio

## Olivio Candelabra



Construction	Die cast low-copper aluminum · Stainless steel fasteners
Optic	Precision formed anodized reflectors · Completely sealed optical chamber
Light Source	LED in 3000K or 4000K · 80CRI minimum · RGBW (Grande only)
Luminous flux	Up to 4,951lm
Light Distribution	Spot · Medium · Wide · Asymmetric · Spread Lens
Mounting	Cast aluminum mounting arms for pole top mounting · Tilt/swivel range is 0° through 175° · 360° rotation
Dimensions	Medio · Grande
Finish	Tiger Drylac certified polyester powder coat finish
Options	IDA-approved with fixed arm · Colored or Spread lenses · Ring or honeycomb louver · Single, double (120° or 180°), and triple arm mount · 0-10V Dimming
Certificates	NRTL Wet Location · 5 Year LED Warranty · ARRA Compliant · RoHS Compliant · Union Made - IBEW Local 363 · ASTM and PCI for finish · IP67 · Dark Sky
[en:]	Exterior
[en:]	Olivio

## Olivio Medio LED Solar

Modifications are possible due to the constant development and improvement of LED technology.

© Selux Corporation, Subject to technical modification 6.2017

Selux Corporation, 5 Lumen Lane, P.O. Box 1060, Highland, NY 12528

## Olivio Bollard Medio



Construction	Die-cast, low-copper aluminum construction with stainless steel fasteners · Two Luminaires sizes: Piccolo and Medio · Precision formed anodized reflectors · Completely sealed optical chamber
Light Source	Lamping 20-39W MH · 14-27W LED
Light Distribution	Type I · Type III
Finish	Multi-step cleaning and sealing process · Tiger Drylac certified polyester powder coat finish
Options	Elegant stem design · Two sizes offer design compatibility · Can be used with other Olivio styles for a total family solution
[en:]	Interior - Exterior
[en:]	M36 - M60 LED Shapes Acoustic

## Olivio Bollard Piccolo



Construction	Die-cast, low-copper aluminum construction with stainless steel fasteners · Two Luminaires sizes: Piccolo and Medio · Precision formed anodized reflectors · Completely sealed optical chamber
Light Source	Lamping 20W MH · 5-11W LED
Light Distribution	Type I, Type III
Finish	Multi-step cleaning and sealing process · Tiger Drylac certified polyester powder coat finish
Options	Elegant stem design. · Two sizes offer design compatibility. · Can be used with other Olivio styles for a total family solution.
[en:]	Interior - Exterior
[en:]	M36 - M60 LED Shapes Acoustic

## Olivio Grande



[en:]	Exterior
[en:]	Olivio

## Olivio Medio



[en:]  
[en:]

Exterior  
Olivio

## Olivio Piccolo



[en:]  
[en:]

Interior - Exterior  
M36 - M60 LED Shapes Acoustic

## Olivio Universal Grande



Construction

Die-cast, low-copper aluminum construction with stainless steel fasteners · Three Luminaires sizes: Piccolo Medio and Grande · special heat sink design ensures long life even in elevated ambient temperatures for LED · Precision formed anodized reflectors · Completely sealed optical chamber

Light Source

Lamping 39-150W HID · 56W LED

Light Distribution

Type I, Type V, Spot Narrow, Flood Medium, Flood Wide

Finish

Multi-step cleaning and sealing process · Tiger Drylac certified polyester powder coat finish

Options

Colored, diacrylic or spread lenses · Ring louver or honeycomb louver · Single or double pole, universal surface or buried base mounting · Adjustable tilt and orientation

[en:]

Interior - Exterior

[en:]

M36 - M60 LED Shapes Acoustic

## Olivio Universal Medio



Construction	Die-cast, low-copper aluminum construction with stainless steel fasteners · Three Luminaires sizes: Piccolo Medio and Grande · Special heat sink design ensures long life even in elevated ambient temperatures for LED · Precision formed anodized reflectors · Completely sealed optical chamber
Light Source	Lamping 20-150W HID · 44W LED
Light Distribution	Spot Narrow, Flood Medium, Flood Wide
Finish	Multi-step cleaning and sealing process · Tiger Drylac certified polyester powder coat finish
Options	Colored, diacrylic or spread lenses · Ring louver or honeycomb louver · Single or double pole, universal surface or buried base mounting · Adjustable tilt and orientation · 0-10V Dimming
[en:]	Interior - Exterior
[en:]	M36 - M60 LED Shapes Acoustic

## Olivio Universal Piccolo



Construction	Die-cast, low-copper aluminum construction with stainless steel fasteners · Three Luminaires sizes: Piccolo Medio and Grande · Precision formed anodized reflectors · Completely sealed optical chamber
Light Source	Lamping 20-150W HID · 14W LED
Light Distribution	Spot Narrow, Flood Medium, Flood Wide
Finish	Multi-step cleaning and sealing process · Tiger Drylac certified polyester powder coat finish
Options	Colored, diacrylic or spread lenses · Ring louver or honeycomb louver · Single or double pole, universal surface or buried base mounting · Adjustable tilt and orientation · 0-10V Dimming
[en:]	Interior - Exterior
[en:]	M36 - M60 LED Shapes Acoustic



